## HISTORIC LANDMARK COMMISSION MARCH 25, 2013 NATIONAL REGISTER HISTORIC DISTRICT NRD-2013-0018 Old West Austin 3101 Funston Street

#### PROPOSAL

Construct a new house on a vacant lot.

#### PROJECT SPECIFICATIONS

The applicant proposes to construct a 2,600 sq. ft., two-story house on an existing vacant lot. The design of the house references Colonial Revival architectural features including return cornices in the gable ends, multi-paned windows flanked by shutters, squared columns supporting a partial-width porch, and dentil moulding under the cornices. The house will have wide, horizontal siding and a composite shingle roof. An open carport is also proposed at the rear of the property, which will be accessed by a side ribbon driveway.

#### STANDARDS FOR REVIEW

The existing property is non-contributing to the Old West Austin National Register Historic District. Applicable general design review guidelines state:

• Contemporary design for alterations and additions to existing properties are appropriate when such alterations and additions do not destroy significant historic, architectural, or cultural material and are compatible with the size, scale, color, material, and character of the property, neighborhood, or environment.

Although the majority of houses on this block are one-story with Minimal Traditional forms, the scale, massing and architectural features of the proposed house are compatible with other properties in the district.


#### STAFF RECOMMENDATION

Release the permit.

#### **PHOTOS**



Existing vacant lot.





CASE#: NRD-2013-0018 LOCATION: 3101 Funston Street





This product is for informational purposes and may not have been prepared for or be suitable for legal, engineering, or surveying purposes. It does not represent an on-the-ground survey and represents only the approximate relative location of properly boundaries.




	1 12-19-12	7	3 01-18-13	4 01-21-13
olonimities ottoolohinteessa mistiginistessa saanalaista saanaa saanaa saanaa saanaa saanaa saanaa saa		Weekley Homes, Inc. 1996	By: Date: Scale:	N DATE SCALE
			Drawing No.	CITY PLAN DRN

PROPERTY ZONING: SF-3





WOOD FENCE
CHAIN LINK FENCE
UTLITY LINE
WATER METER
IRON ROD FND. BUILDING LINE DRAINAGE EASEMENT PUBLIG UTILITY EASEMENT LEGEND © 0 0 €... 0.1.E..



STREET FUNSTON 3101

# LEGAL DESCRIPTION

BRYKERWOODS "G" LOT 37, 3101 FUNSTON STREET

S COVERAGE	6502.66 100.00 %
	SQ. ⊓T.

	6502.66 100	1356.00	303.00 00.00	62.00	00.48
THE RESERVE THE PROPERTY OF TH	LOT 50. FT.	IST FLOOR COND. AREA 1356.00	DETACHED OARPORT	COV. PATIO	OOV. FOROIT

29.29%

1905.00

TOTAL BLDG. COVERAGE


MPERVIOUS CO 60.00 00.00 00.00 00.00 1905.00 TOTAL BUILDING COV. DRIVEWAY STEPS TO PORCH A/C PADS (2 @ 9.0)

2640.00 TOTAL IMPERV. COV.

40.54%

PLAN SITE

SCALE: |" = 20'-0"




#### CITY OF AUSTIN (C.O.A.) CALCULATIONS

FFE @ GARAGE / CARPORT=105.00

ITEM	F.A.R.	IMP. COVERAGE	BLDG. COVERAGE
C.O.A. MAX. ALLOWED	.40	45.00%	40.00%
FLOOR 1 LIVING	1356	1356	1356
FLOOR 2 LIVING	1244		
TOTAL	2600		
F. PORCH		84	84
R. PORCHES		162	162
SLAB		1905	1905
DETACHED CARPORT	303		
<b>★</b> EXCEPTION	-303		
SIDEWLKS (STEPS ONLY	Ž.	22	
DRIVEWAY		695	
A/C/ PADS		18	
TOTAL AREA	2600	2640	
LOT AREA	6502	6502	6502
FINAL CALCULATION	.3998	40.60%	29.29%

**\$**EXCEPTION: 3.3.2-3.1





1/8"=1'-0"

SIDEWALL ARTICULATION

◆THE SIDEWALLS OF THIS STRUCTURE THAT EXCEED A 15' PLATE HEIGHT ARE MORE THAN 9'-0" FROM EACH SIDE PROPERTY LINE. SIDEWALL ARTICULATION IS NOT REQUIRED.

\*REFER TO SITE PLAN FOR LOCATION OF STRUCTURE ON PROPERTY.

FIRST FLOOR PLAN

FFE @ LOWER FLOOR HOUSE=103.17

NOTE: ALL DOORS AT LOWER FLOOR TO BE 8-0 TALL UNLESS OTHERWISE NOTED.

NOTE: ALL 1ST FLR. CEILING HEIGHTS 10'-0" UNLESS NOTED OTHERWISE

ADVANCED FRAMING: 2X6 WALLS AT EXTERIOR PERIMETER WALLS AND ALL INSULATED WALLS UNLESS NOTED OTHERWISE

© Weekley Homes I.P. 2006
The measurenents, dimensions, and other specifications, shown on this document, are guidelines for construction use only. The actual specifications of the finished structure may vary. This document may


David Weekley Home Imagination Collection Scale:

FoJ. No.: Lot:
Ob No.: Blk:

YKERWOODS, LOT 37 OT FUNSTON ST.

M M

NORTH
PLN-1
URBAN
HOUSTON



© \*\*Reekley Bomes I..P. 2006

The measurements, dimensions, and other specifications, shown on this document, are guidelines for construction use only. The actual specifications of the finished structure may vary. This document may may be selected to the selection of the select

David Weekley Homes Imagination Collection SL, MWR scale:

DODS, LOT 37 JOB NO.

HILLON BRYKERWOODS, 3101 FUNST


NORTH
PLN-2
URBAN

### COLUMN DETAIL (NOT TO SCALE)

-

AVERAGE	GRADE	CALCS
*HIGH POINT * LOW POINT	GRADE GRADE	101.83 99.75
	TOTAL	201.58 ÷2
AVERAGE	GRADE	100.79

**★**SEE SITE PLAN FOR GRADE INFO.



#### PORCH RAIL DETAIL

SCALE: NTS

#### EXTERIOR MATERIALS


SHINGLES: COMPOSITION
SIDING: HARDIE LAP (SMOOTH)
TRIM: HARDIE TRIM

TRIM: HARDIE TRIM WINDOWS: VINYL

#### EXTERIOR FINISH

RAILING: PAINT SIDING: PAINT TRIM: PAINT SHUTTERS: PAINT





19:12 13:16 AVC, HECHT ABOVE AVC, GRADE (12-d)

19:12 10:12 13:16 AVC, HECHT ABOVE AVC, GRADE (12-d)

19:12 10:12 13:16 AVC, HECHT ABOVE AVC, GRADE (12-d)

19:17 PLT, (19-d) 10:12 12:17 PLT, (19-d)

10:10 12 12:17 PLT, (19-d)

10:10 10:10 12:17 PLT, (19-d)

10:10 10:10

REAR ELEVATION 1/8"=1'PUT. (PLATE HIEGHTS) ARE ABOVE SLAB (UNLESS NOTED OTHERWISE).

© Weekley Homes L.P. 2006
The measurements, dimensions, and other spedifications, shown on this document, are guidelines for construction use only. The actual specifications of the finished shrutule may vary. This document may not be relied on as a representation of

es

tot:

David Weekley Home

Imagination Collection

Sect:

Sect:

Date 8-24-06 Page 17-07-1

YKERWOODS, LOT 37 01 FUNSTON ST.

lob

NORTH

ELV-1


URBAN

HOUSTON

W W

#### SIDE ELEVATIONS

PLT. (PLATE HIEGHTS) ARE ABOVE SLAB (UNLESS NOTED OTHERWISE).



#### FRONT & REAR ELEVATION

PLT. (PLATE HIEGHTS) ARE ABOVE SLAB (UNLESS NOTED OTHERWISE).

#### EXTERIOR MATERIALS


SHINGLES: COMPOSITION
SIDING: HARDIE LAP (SMOOTH)


TRIM: HARDIE TRIM WINDOWS: VINYL

#### EXTERIOR FINISH

RAILING: PAINT SIDING: PAINT TRIM: PAINT SHUTTERS: PAINT







PLT. (PLATE HIEGHTS) ARE ABOVE SLAB (UNLESS NOTED OTHERWISE).

© Weekley Homes 1.P. 2006
The measurements, dimensions, and other esoliteations, shown on this document, be guidelines for construction use only. The document me actual specifications of the finished ructure may vary. This document may are to retried on as a representation of

David Weekley Hamagination Colle


O.: Lol: Blk;

YKERWOODS, LOT 37 Jub

NORTH
ELV-2
URBAN

HOUSTON





TENT 2: REAR ELEVATION HOUSE 1/8


NOTE: NO TWO STORY STRUCTURES TO BE BUILT IN TENT 3

No.: Lat: David Weekley Hornes Imagination Collection SL, MWR Scate: Sect: Date: 8-24-06 Rev. 01-21-13 at 1

RYKERWOODS, LOT 37

BR,

MCM-1
URBAN
HOUSTON



TENT ELEVATIONS: SIDE HOUSE & DET. GARAGE/CARPORT

1/8"=1'-0"

NOTE: NO TWO STORY STRUCTURES TO BE BUILT IN TENT 3



David Weekley Homes Imagination Collection Scale:

SL, MWR Scale:

OODS, LOT 37 Job No.:


BRYKERWOODS, 3101 funst

NORTH

MCM-2

URBAN

HOUSTON



TENT ELEVATIONS: SIDE HOUSE & DET. GARAGE/CARPORT NOTE: NO TWO STORY STRUCTURES TO BE BUILT IN TENT 3




y Homes Sollection Weekley agination col


David

Lot:

qop 37 (/) $\Gamma$ BRYKERWOODS, LO 3101 FUNSTON

NORTH 9323A MCM-3 URBAN HOUSTON





#### JOIST PLAN

UNLESS OTHERWISE NOTED ALL MEMBERS TO BE: No.2 GRADE S.Y.P. MATERIAL SPACED @ 24" o.c.

ACL HEADERS LARGER THAN 2-2x10'S TO BE SUPPORTED BY 2-2x CRIPPLES AT EACH SIDE.

ALL HEADERS AT 2x4 WALLS TO BE 2-2x8's. AT 2x6 WALLS HEADERS ARE TO BE 3-2x8's

ALL MCRCLAM (LVL) BEAMS SHALL HAVE THE FOLLOWING MINIMUM PROPERTIES.
ALLOWABLE BENDING STRESS OF 2600 psi.
ALLOWABLE SHEAR STRESS OF 285 psi.

MODULUS OF ELASTICITY OF 1900 ksi.

ALL BEAMS TO HAVE 1/2" PLYWOOD GUSSETS.

ADD PLYWOOD TO ALL DOUBLE JOISTS

LOCATE WATER HEATER IN ATTIC, PROVIDE DRAIN AND PAN AS REQUIRED. WATER HEATER LOCATION MAY YARY PER ROOF CONDITION OR CITY CODE REQUIREMENTS.

ATTIC STORAGE OPTIONAL PER COMMUNITY.

PROVIDE H2.5 ANCHOR AT EACH RAFTER WITHOUT A CEILING

ALL MICROLAM (LVL) BEAMS JOB BUILT FROM 2 OR 3 MEMBERS SHALL BE GLUED BETWEEN EACH MEMBER & NAILED W/ 12d NAILS ® 12" O.C. TOP & BOTTOM. BEAMS BUILT FROM 4 MEMBERS SHALL BE BOLTED W/ 1/2" O BOLTS ® 24" O.C. TOP & BOTTOM UNLESS NOTED OTHERWISE

Weekle lagination avid  $\tilde{\Box}$ qo M  $\bigcirc$ 

 $\int_{0}^{\infty}$ 

BRYKERWOODS 3101 FUNS

by Homes Collection

 $\hat{\mathbb{Q}}$ 

CERTIFIED PROFESSIONAL BUILDING DESIGNER 9 NATIONAL COUNCIL OF 8

#### FIRST FLOOR FRAMING PLAN

1/8"=1'-0"


SEE ENGINEER'S DRAWINGS FOR FLR. JOIST LAYOUT, SPACING AND SIZE.

NOTE: ALL 1ST FLR. CEILING HEIGHTS 10'-0" UNLESS NOTED OTHERWISE

ADVANCED FRAMING: 2X6 WALLS AT EXTERIOR PERIMETER WALLS AND ALL INSULATED WALLS UNLESS NOTED OTHERWISE

NORTH

FRM-1 URBAN HOUSTON



1/8"=1'-0"

#### JOIST PLAN

UNLESS OTHERWISE NOTED ALL MEMBERS TO BE: No.2 GRADE S.Y.P. MATERIAL SPACED @ 24° o.c.

ALL HEADERS LARGER THAN 2-2x10'S TO BE SUPPORTED BY 2-2x CRIPPLES AT EACH SIDE.

ALL HEADERS AT 2x4 WALLS TO BE 2-2x8's. AT 2x6 WALLS HEADERS ARE TO BE 3-2x8's

ALL MICROLAM (LVL) BEAMS SHALL HAVE THE FOLLOWING MINIMUM PROPERTIES: ALLOWABLE BENDING STRESS OF 2600 psi. ALLOWABLE SHEAR STRESS OF 285 psi. MCDULUS OF ELASTICITY OF 1900 ksi.

ALL BEAMS TO HAVE 1/2" PLYWOOD GUSSETS.

ADD PLYWOOD TO ALL BOUBLE JOISTS

LOCATE WATER HEATER IN ATTIC, PROVIDE DRAIN AND PAN AS REQUIRED. WATER HEATER LOCATION MAY VARY PER ROOF CONDITION OR CITY CODE REQUIREMENTS.

ATTIC STORAGE OPTIONAL PER COMMUNITY.

PROVIDE H2.5 ANCHOR AT EACH RAFTER WITHOUT A CEILING

ALL MICROLAM (LVL) BEAMS JOB BUILT FROM 2 CR 3 MEMBERS SHALL BE GLUED BETWEEN EACH MEMBER & NAILED W/ 12d NAILS © 12" O.C. TOP & BOTTOM. BEAMS BUILT FROM 4 MEMBERS SHALL BE BOLIED W/ 1/2" O BOLTS @ 24" O.C. TOP & BOTTOM UNLESS NOTED OTHERWISE.

> M  $\bigcirc$ YKERWOODS 101 FUNS MA MA MA

spec spec are The struct

 $\circ$ 

 $\odot$ 

Veekley Home gination Collection

David

NATIONAL COUNCIL OF @ GLENN K. EASON 44-505

CENTIFED PROFESSIONAL BUILDING DESIGNER


SECOND FLOOR FRAMING PLAN

NOTE: ALL 1ST FLR. CEILING HEIGHTS 10'-0" UNLESS NOTED OTHERWISE

ADVANCED FRAMING: 2X6 WALLS AT EXTERIOR PERIMETER WALLS AND ALL INSULATED WALLS UNLESS NOTED OTHERWISE

NORTH FRM-2 URBAN

HOUSTON



#### ROOF PLAN: DETACHED CARPORT

RAFTER PLAN

UNLESS OTHERWISE NOTED:
ALL RAFTERS SHALL BE No.2 GRADE S.Y.P. 2x6's

24" O.C., MAXIMUM SPAN OF 11"-0" (DESIGNED TO SUPPORT COMP. SHINGLE ROOFING MATERIAL.)

02/04/05


PURLINS TO BE SUPPORTED BY STRUTS (no smaller than 2x4) TO BEARING WALLS OR BEAM NOT LESS THAN 45', UNBRACED LENGTH NOT TO EXCEED 8'-0".

PURLIN SHALL NEVER BE SMALLER THAN SUPPORTED RAFTER.

OVERHANGS @ 6/12 PITCH TO BE 21" FROM OUTSIDE FACE OF FRAME, OTHERS TO MATCH. OVERHANGS @ GABLE ENDS TO BE 12" FROM OUTSIDE FACE OF FRAME.

NOTE: REFER TO SLOPE CEILING SECTION ON TYPICAL DETAIL SHEET.

ALL HIP, VALLEY AND RIDGE BEAMS TO BE No. 2 5.Y.P. 2x8's, MAXIMUM SPAN OF 9'-0". BRACE TO AND BEAMS BELOW.



ROOF PLAN

1/8"=1'-0"



The measurements, dimensions, and other specifications, shown on this document, are guidelines for construction use only. The actual specifications of the finished structure may vary. This document may not be relied on as a representation of

I Weekley Homes magination Collection David ot: g 37 T ()  $\bigcirc$ RYKERWOODS, 101 FUNSTO

NORTH

RFP-1

URBAN

HOUSTON

W W